



1 PRODUCTION QUALITY ASSURANCE NOTIFICATION

2 Equipment and protective systems intended for use in potentially explosive atmospheres Directive 2014/34/EU

3 Notification No. **SIRA 01 ATEX M093**

4 Equipment, protective system or components as listed:

| | |
|--|---|
| Motors, Generators, Linear and Rotary Actuators | Intrinsic Safety (ia/ib) |
| Enclosures, Terminal Boxes and Terminals | Flameproof (d) |
| Luminaires, lamps and accessories | Encapsulation (m) |
| Heaters (Including Heating Tape) | Increased Safety (e) |
| Cable Attachments (Plugs, Sockets, Glands and Fittings) | Dust Ignition Protection by Enclosure (t) |
| Batteries, Battery Containers and Battery Chargers | Inherently Safe Optical Radiation (op is) |
| Safety Barriers. Instrumentation, Measurement and Control Equipment. Gas Detection and Measurement Equipment | Constructional Safety (h) |
| Encapsulated Solenoids | |

5 Applicant **Pyroban Limited**
Endeavour Works, Dolphin Road
Shoreham-By-Sea
Sussex BN43 6QG

6 Manufacturer As above

7 Sira Certification Service, Notified Body No. 0518 for Annexes IV & VII in accordance with Article 9 of the Council Directive 2014/34/EU of 20 April 2016, notifies to the applicant that the manufacturer has a quality system which complies with the requirements of Annexes IV & VII of Directive 2014/34/EU and EN ISO/IEC 80079-34.

8 This notification is based upon Sira Report No. 70182883 issued on 25 May 2018. This notification can be withdrawn if the manufacturer no longer satisfies the requirements of Annexes IV/VII. Results of periodical assessment of the quality system form part of this notification.

9 According to Article 16 [3] of Directive 2014/34/EU the CE marking shall be followed by the identification number 0518 of Sira Certification Service as the notified body involved in the production control stage.

Date of Initial Certification: 12 February 2001
Date of Expiry: 14 July 2021

On behalf of SCS



Notification No. **SIRA 01 ATEX M093**

Date of Issue: 06 July 2018

This certificate remains valid subject to the company maintaining its system to the required standards, which will be monitored by SCS. The use of this Certificate and the Sira Certification Mark are subject to the Regulations Applicable to Holders of Sira Certificates